



DATASHEET

MYSTIQ



KEY FEATURES

Cost effective full height system

Formed from high pressure laminate panels, with MFC option available.

Total flexibility of cubicles sizes

Solid stainless steel ironmongery that can be powder coated in range of colours

Subtle head & base fixing detail

Versatile system - can be installed in conjunction with stud partition dividing walls







MYSTIQ

Specifications

DIVISIONS

Core material: 18 mm high grade particle board 650 kg/m³

Colour/ Finish: High pressure laminate as per client choice, giving 20 mm overall panel thickness.

Edge treatment: All edges lipped in impact-resistant ABS lipping with polyurethane adhesive (see below).

Adhesive Type: All components are bonded with specialist polyurethane washroom adhesive, for ultimate water-resistance and strength of bonding. This adhesive is environmentally friendly with zero rating formaldehyde emissions.

DOORS & PILASTERS

Core material: Two layers of laminated 18mm high grade particle board, bonded together with PU adhesive to form panels of 40mm overall thickness.

Colour/Finish: High pressure laminate as per client choice.

Edge treatment: All edges lipped in ABS lipping, including rebated edge, for maximum protection using polyurethane adhesive (see below).

Adhesive Type: All components are bonded with specialist polyurethane washroom adhesive, for ultimate water-resistance and strength of bonding. This adhesive is environmentally friendly with zero rating formaldehyde emissions.



IRONMONGERY / ACCESSORIES

Maxwood Range: Cubicle brackets, hinges, indicator bolt (with emergency unlock), coat hook and 20mm legs are all in brushed stainless steel finish.

Fixings: Pilasters fixed to floor and ceiling with 20mm stainless steel foot supports. Divisions fixed to wall and pilaster with channel brackets.

Pull handle supplied for outward opening doors.





SIZE

Overall height: To suit ceiling heights up to 3000mm

Division (h x w): To suit ceiling height x 1500mm

Door: (h x w): To suit ceiling height x site dimensions

Centre pilasters (h x w): To suit ceiling height x site dimensions

End pilaster (h x w): To suit ceiling height x site dimensions (min. width 100mm)





CARBON NEUTRAL

This product can be fully carbon neutral due to our Climate Partners offsetting scheme.





AND NOT ONLY THAT,


WE'VE GONE GREEN.





















020 3657 7615



inspired@maxwoodwashrooms.com



www.maxwoodwashrooms.com



Maxwood Washrooms 121-131 Rosebery Avenue London EC1R 4RF

GET IN TOUCH

